

A XANES study of the Sn K-edge in slag by-products from tin smelting experiments

E. Figueiredo¹, M. Larsson Coutinho², T. Pena da Silva³, E. Salas-Colera⁴, J.P. Veiga¹

¹ CENIMAT/i3N – Centro de Investigação em Materiais, Departamento de Ciência dos Materiais, Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, 2829-516 Caparica, Portugal.

² Laboratório Hercules, Universidade de Évora, 7000-809 Évora, Portugal.

³ LNEG (National Laboratory for Energy and Geology), Mineral Resources and Geophysics Research Unit, Estrada da Portela, Apartado 7586, 2610-999 Amadora, Portugal.

⁴ SpLine, Spanish CRG Beamline, European Synchrotron Radiation Facility (ESRF), Grenoble, France
esf@fct.unl.pt

Tin was a very important alloying element in Western Europe in the production of bronze (Cu-Sn alloy) since the second millennium BC (Bronze Age), when most metallic artefacts were made of this alloy.

Smelting experiments using cassiterite collected in the NW Iberian territory were made to produce tin in a very simple and small scale manner, using a small open pit structure to reproduce what could have been the manufacturing process of tin in prehistoric times.

Chemical and structural analysis of the products by XRF, SEM-EDS and XRD were made to achieve a detailed knowledge of the characteristics of the materials [1]. Additionally, an X-ray absorption near-edge structure region (XANES) study was performed on three types of slags previously identified (Type 1, Type 2 and Type 3) to obtain information on the oxidation state of Sn. The analyses were made at the European Synchrotron Radiation Facility (ESRF) at the beamline SpLine BM 25A (5-45 keV).

Keywords: Cultural Heritage, Synchrotron Radiation, XANES, Tin, Slags, Archaeometallurgy

Acknowledgments: Project Iberian Tin (PTDC/HAR-ARQ/32290/2017), funded by FEDER through the Lisboa Regional Programme and POCI and National Funds through FCT (Fundação para a Ciência e Tecnologia).

[1] E. Figueiredo, A. Lackinger, B. Comendador Rey, R.J.C. Silva, J.P. Veiga, J. Mirão (2017). An experimental approach for smelting tin ores from Northwestern Iberia, *Materials and Manufacturing Processes* 32(7-8), 765-774. <https://doi.org/10.1080/10426914.2016.1244837>